

Academic Publications authored or co-authored by Bolton NHS Foundation Trust, published in 2020, with Impact Factors where available.

Akhter S, Akhtar S., 2020. Emerging coronavirus diseases and future perspectives *Virusdisease*, 31 (2), 113-20. doi: 10.1007/s13337-020-00590-2

Impact factor: 3.392.

Alghamdi A., Reynard C., Morris N., Moss P., Jarman H., Hardy E., Harris T., Horner D., Parris R., Body R., 2020. Diagnostic accuracy of the Troponin-only Manchester Acute Coronary Syndromes (T-MACS) decision aid with a point-of-care cardiac troponin assay. *Emerg.Med.J*, 37 (4), 223-8. doi: 10.1136/emmermed-2019-208882

Impact factor: 3.814.

Bhangu A, RIFT Study Group on behalf of the West Midlands Research Collaborative 2020. Evaluation of appendicitis risk prediction models in adults with suspected appendicitis. *Br.J.Surg*, 107 (1), 73-86. doi: 10.1002/bjs.11440

Impact factor: 11.782.

Cotzias E., Rehman S. F., Arsalani Zadeh R., Smith D., 2020. Conservative management of diffuse cavernous haemangioma of the sigmoid and rectum. *Ann.R.Coll.Surg.Engl*, 102 (1), e1-3. doi: 10.1308/rcsann.2019.0088

Impact factor: 1.951.

Craigie RJ., Farrelly P. J., Santos R., Smith S. R., Pollard J. S., Jones D. J., 2020. Manchester Arena bombing: lessons learnt from a mass casualty incident. *BMJ Mil.Health*, 166 (2), 72-5. doi: 10.1136/jramc-2018-000930

Impact factor: 2.8.

Cramond L., Fletcher I., Rehan C., 2020. Experiences of clinical psychologists working in palliative care: A qualitative study. *Eur.J.Cancer.Care.(Engl)*, 29 (3), e13220. doi: 10.1111/ecc.13220

Impact factor: 2.328.

Dhillon-Smith RK., Tobias A., Smith P. P., Middleton L. J., Sunner K. K., Baker K., Farrell-Carver S., Bender-Atik R., Agrawal R., Bhatia K., Chu J. J., Edi-Osagie E., Ewies A., Ghobara T., Gupta P., Jurkovic D., Khalaf Y., Mulbagal K., Nunes N., Overton C., Quenby S., Rai R., Raine-Fenning N., Robinson L., Ross J., Sizer A., Small R., Underwood M., Kilby M. D., Daniels J., Thangaratnam S., Chan S., Boelaert K., Coomarasamy A., 2020. The Prevalence of Thyroid Dysfunction and Autoimmunity in Women With History of Miscarriage or Subfertility. *J.Clin.Endocrinol.Metab*, 105 (8), dgaa302. doi: 10.1210/clinem/dgaa302. doi: 10.1210/clinem/dgaa302

Impact factor: 5.958.

Dias J., Brealey S., Cook L., Fairhurst C., Hinde S., Leighton P., Choudhary S., Costa M., Hewitt C., Hodgson S., Jefferson L., Jeyapalan K., Keding A., Northgraves M., Palmer J., Rangan A., Richardson G., Taub N., Tew G., Thompson J., Torgerson D., 2020. Surgical fixation compared with cast immobilisation for adults with a bicortical fracture of the scaphoid waist: the SWIFFT RCT. *Health Technol.Assess*, 24 (52), 1-234. doi: 10.3310/hta24520

Impact factor: 4.106.

Dias JJ., Brealey S. D., Fairhurst C., Amirfeyz R., Bhowal B., Blewitt N., Brewster M., Brown D., Choudhary S., Coapes C., Cook L., Costa M., Davis T., Di Mascio L., Giddins G., Hedley H., Hewitt C., Hinde S., Hobby J., Hodgson S., Jefferson L., Jeyapalan K., Johnston P., Jones J., Keding A., Leighton P., Logan A., Mason W.,

McAndrew A., McNab I., Muir L., Nicholl J., Northgraves M., Palmer J., Poulter R., Rahimtoola Z., Rangan A., Richards S., Richardson G., Stuart P., Taub N., Tavakkolizadeh A., Tew G., Thompson J., Torgerson D., Warwick D., 2020a. Surgery versus cast immobilisation for adults with a bicortical fracture of the scaphoid waist (SWIFFT): a pragmatic, multicentre, open-label, randomised superiority trial. *Lancet*, 396 (10248), 390-401. doi: 10.1016/S0140-6736(20)30931-4
Impact factor: 202.731.

Dias JJ., Brealey S. D., Fairhurst C., Amirfeyz R., Bhowal B., Blewitt N., Brewster M., Brown D., Choudhary S., Coapes C., Cook L., Costa M., Davis T., Di Mascio L., Giddins G., Hedley H., Hewitt C., Hinde S., Hobby J., Hodgson S., Jefferson L., Jeyapalan K., Johnston P., Jones J., Keding A., Leighton P., Logan A., Mason W., McAndrew A., McNab I., Muir L., Nicholl J., Northgraves M., Palmer J., Poulter R., Rahimtoola Z., Rangan A., Richards S., Richardson G., Stuart P., Taub N., Tavakkolizadeh A., Tew G., Thompson J., Torgerson D., Warwick D., 2020b. Surgery versus cast immobilisation for adults with a bicortical fracture of the scaphoid waist (SWIFFT): a pragmatic, multicentre, open-label, randomised superiority trial. *Lancet*, 396 (10248), 390-401. doi: 10.1016/S0140-6736(20)30931-4
Impact factor: 202.731.

Eusuf DV., England E. L., Charlesworth M., Shelton C. L., Thornton S. J., 2020a. Maintaining education and professional development for anaesthesia trainees during the COVID-19 pandemic: the Self-isolating Virtual Education (SAVED) project. *Br.J.Anaesth*, 125 (5), e432-4. doi: 10.1016/j.bja.2020.07.046
Impact factor: 9.166.

Eusuf DV., England E. L., Charlesworth M., Shelton C. L., Thornton S. J., 2020b. Maintaining education and professional development for anaesthesia trainees during the COVID-19 pandemic: the Self-isolating Virtual Education (SAVED) project. *Br.J.Anaesth*, 125 (5), e432-4. doi: 10.1016/j.bja.2020.07.046
Impact factor: 11.719.

Gianatsi M., Burns H., Hunt I. M., Ibrahim S., Windfuhr K., While D., Appleby L., Kapur N., 2020. Treatment of Mental Illness Prior to Suicide: A National Investigation of 12,909 patients, 2001-2016. *Psychiatr.Serv*, 71 (8), 772-8. doi: 10.1176/appi.ps.201900452
Impact factor: 4.157.

Gilani S., Pankhania K., Akhtar U. 2021. Addressing barriers to access in mutual mentorship programmes. *Med.Teach*, 43 (1), 116-7. doi: 10.1080/0142159X.2020.1788214
Impact factor: 4.277.

Greenhalgh S., Selfe J., Yeowell G., 2020. A qualitative study to explore the experiences of first contact physiotherapy practitioners in the NHS and their experiences of their first contact role. *Musculoskelet.Sci.Pract*, 50, 102267. doi: 10.1016/j.msksp.2020.102267
Impact factor: 2.658.

Greenhalgh S., Finucane L. M., Mercer C., Selfe J., 2020. Safety netting; best practice in the face of uncertainty. *Musculoskelet.Sci.Pract*, 48, 102179. doi: 10.1016/j.msksp.2020.102179
Impact factor: 2.658.

Hackett J., Hall L., Sadiq M., Putheran M., Hall B., Burn S., Sharp A., Alfievic Z., Agarwal U., 2020. Vein of Galen aneurysmal malformation affecting cotwin in dichorionic diamniotic pregnancy. *Ultrasound Obstet.Gynecol*, 56 (3), 474-5. doi: 10.1002/uog.22108
Impact factor: 5.369.

Hajibandeh S., Loutfi M., Hajibandeh S., Abulkhir A., Rehman S., Mansour M., Arsalani Zadeh R., 2020. Routine versus selective computed tomography in non-traumatic acute abdominal pain: meta-analysis of randomised trials. *Langenbecks Arch.Surg*, 405 (3), 283-91. doi: 10.1007/s00423-020-01884-1
Impact factor: 3.445.

Kailavasan M., Berridge C., Athanasiadis G., Gkentzis A., Rai B., Jain S., Biyani C. S., Nabi G., 2020. Design, implementation, and evaluation of a novel curriculum to teach transurethral resection of the prostate (TURP): a 3-year experience of urology simulation bootcamp course. *World J.Urol*, 38 (11), 2899-906. doi: 10.1007/s00345-020-03104-3
Impact factor: 3.661.

Lam W., Jones J., Hodgson S., Jemec B., 2020. Hand surgery status in the African continent and efforts of hand surgeons from the United Kingdom. *J.Hand Surg.Eur.Vol*, 45 (5), 536-40. doi: 10.1177/1753193420904632
Impact factor: 2.206.

Lewis S., Chowdhury E., Stockdale D., Kennedy V., Guideline Committee 2020. Assessment and management of tinnitus: summary of NICE guidance. *BMJ*, 368, m976. doi: 10.1136/bmj.m976 Impact factor: 39.89.

RIFT Study Group on behalf of the West Midlands Research Collaborative 2020. Appendicitis risk prediction models in children presenting with right iliac fossa pain (RIFT study): a prospective, multicentre validation study. *Lancet Child.Adolesc.Health*, 4 (4), 271-80. doi: 10.1016/S2352-4642(20)30006-7
Impact factor: 37.746.

Roberts T., Daniels J., Hulme W., Hirst R., Horner D., Lyttle M. D., Samuel K., Graham B., Reynard C., Barrett M., Foley J., Cronin J., Umana E., Vinagre J., Carlton E., The Trainee Emergency Research Network (., Paediatric Emergency Research in the UK and Ireland (PERUKI)., Research and Audit Federation of Trainees (RAFT), Irish Trainee Emergency Research Network (ITERN and Trainee Research in Intensive Care (TRIC))., Ireland Trainee Emergency Research Network (I-TERN) Collaborators, Research and Audit Federation of Trainees (RAFT), Trainee Research in Intensive Care (TRIC) and Specialist Anaesthesia Trainee led Audit and Research Network (SATURN) Collaborators 2021. Psychological distress and trauma in doctors providing frontline care during the COVID-19 pandemic in the United Kingdom and Ireland: a prospective longitudinal survey cohort study. *BMJ Open*, 11 (7), e049680-049680. doi: 10.1136/bmjopen-2021-049680.
Impact factor: 3.007

Selinger C., Carey N., Cassere S., Nelson-Piercy C., Fraser A., Hall V., Harding K., Limdi J., Smith L., Smith M., Gunn M. C., Mohan A., Mulgabal K., Kent A., Kok K. B., Glanville T., 2020. Standards for the provision of antenatal care for patients with inflammatory bowel disease: guidance endorsed by the British Society of Gastroenterology and the British Maternal and Fetal Medicine Society. *Frontline Gastroenterol*, 12 (3), 182-7. doi: 10.1136/flgastro-2020-101459.
Impact factor: 1.678

Selinger CP., Nelson-Piercy C., Fraser A., Hall V., Limdi J., Smith L., Smith M., Nasur R., Gunn M., King A., Mohan A., Mulgabal K., Kent A., Kok K. B., Glanville T., 2020. IBD in pregnancy: recent advances, practical management. *Frontline Gastroenterol*, 12 (3), 214-24. doi: 10.1136/flgastro-2019-101371.
Impact factor: 1.678

Shahzad K., Elmedani M., Mathew S., Peristerakis I., 2020. Rare cause of right iliac fossa pain in a UK patient. *BMJ Case Rep*, 13 (10), e234694. doi: 10.1136/bcr-234694. doi: 10.1136/bcr-2020-234694
Impact factor: N/A, see journal website for further information.

Shirodkar A., De Silva I., Verma S., Anderson S., Dickerson P., Walsh F., Siriwardena D., Dhawahir-Scala F., 2020. Personal Protective Equipment (PPE) use among emergency eye care professionals in the UK during the COVID19 pandemic. *Eye (Lond)*, 34 (7), 1224-8. doi: 10.1038/s41433-020-0970-5
Impact factor: 3.775.

Sivaprasad S., Ghanchi F., Kelly S. P., Kotagiri A., Talks J. S., Scanlon P. H., Saddiq M., Napier J., 2020. Effectiveness of intravitreal aflibercept injections for anti-VEGF treatment-naïve patients with diabetic macular edema in UK routine clinical practice (DRAKO): 12-month results. *Invest.Ophthalmol.Vis.Sci*, 61 (7), 3294.
Impact factor: 4.799 (2020 figure).

Tsokani S., Mavridis D., Hajibandeh S., Hajibandeh S., Antoniou G. A., Andreou A., Antoniou S. A., 2020. An observational study of missing data inquiry from randomized trial authors showed a poor response. *J.Clin.Epidemiol*, 119, 19-25. doi: 10.1016/j.jclinepi.2019.11.014
Impact factor: 4.79.

Williams R., Aithal G., Alexander G. J., Allison M., Armstrong I., Aspinall R., Baker A., Batterham R., Brown K., Burton R., Cramp M. E., Day N., Dhawan A., Drummond C., Ferguson J., Foster G., Gilmore I., Greenberg J., Henn C., Jarvis H., Kelly D., Mathews M., McCloud A., MacGilchrist A., McKee M., Moriarty K., Morling J., Newsome P., Rice P., Roberts S., Rutter H., Samyn M., Severi K., Sheron N., Thorburn D., Verne J., Vohra J., Williams J., Yeoman A., 2020. Unacceptable failures: the final report of the Lancet Commission into liver disease in the UK. *Lancet*, 395 (10219), 226-39. doi: 10.1016/S0140-6736(19)32908-3
Impact factor: 202.731.

Wolloff S., Moore E., Glanville T., Limdi J., Kok K. B., Fraser A., Kent A., Mulgabal K., Nelson-Piercy C., Selinger C., 2020. Provision of care for pregnant women with IBD in the UK: the current landscape. *Frontline Gastroenterol*, 12 (6), 487-92. doi: 10.1136/flgastro-2020-101546.
Impact factor: 1.678.

Yeo B., Hamad R., Paul A., Low A., 2020. Hydroxychloroquine baseline retinopathy screening: when to refer patients? A practical approach to optimise resource use. *Eye (Lond)*, 34 (8), 1305-6. doi: 10.1038/s41433-020-0794-3
Impact factor: 3.775.